

N-600
SERIES

Mailing Systems

The Practical and Versatile Choice



Join us on



NEOPOST

Send.Receive.Connect.

The Practical and Versatile Choice

In today's fast paced business environments, we are always looking for ways to get the job done quickly and simply while maintaining integrity every step of the way. When it comes to your mail processing needs, the Neopost IN-600 Series with NeoShip delivers practical solutions that offer maximum versatility.

Available in two models, the IN-600 HF and IN-600 AF are built to move your mail with the highest level of efficiency. With the IN-600 Series, you have access to a growing suite of services and apps to improve postal, parcel and related digital communications.

The contemporary design of the IN-600 Series depicts clean lines and bold edges while maintaining the Neopost commitment to build and ship products in the most ecological manner.



Optimizing Efficiency

The IN-600 HF offers a power-assisted hand feeder/moistener combination and processes up to 75 lpm. All other components of the mailing system are shared with the IN-600 AF system.

Coupled with NeoShip online shipping software, the IN-600 Series is the simple, powerful choice for all of your mailing and shipping needs.

As an option for the IN-600 Series, NeoShip meets the latest USPS® IM®pb (Intelligent Mail® Package Barcode) requirements. Simple to use, NeoShip software is accessible through your MyNeopost online account. With NeoShip you will benefit from:

- Automatically qualifying for Commercial Base Pricing
- Creating IM®pb-compliant shipping labels in minutes
- Free address correction services
- Free insurance Priority Mail® (up to \$50 value) and Priority Mail Express™ (up to \$100 value)
- Consolidated views of all shipments
- Generating detailed reports based on shipment history/operator shipments/transactions



Environmental Commitment

The IN-600 Series carries Neopost's Eco-Label which aims to provide a clear and consistent set of environmental performance criteria used in the design phase of our products.




How We Reduce Our Environmental Footprint:

- Neopost limits the machine weight and the amount of raw materials used for production.
- The volume of our packaging is kept to a minimum and is 100% cardboard and recyclable.
- Packaging for the IN-600 Series represents less than 20% of the total weight of the packed product.
- The user-friendly sleep mode helps reduce energy consumption.
- We develop our products to ensure a minimum recyclability rate of 75%.

The IN-600 Series is compliant with environmental Regulations and ENERGY STAR

Innovation Driven by Experience



1. Automatic Feeder and Sealer

Processes items at speeds up to 110 lpm.



2. Large Display

Navigation is a breeze with descriptive prompts, menus and buttons. The Rate Wizard provides step-by-step instructions, making USPS® rate selection simple.



3. Weighing Platform

5, 10, 30 or 70 lb. platforms handle even the heaviest parcels of oversized packages with ease.



4. Differential Weighing

Reduces manual processing and handling. With differential weighing, the exact postage value is calculated every time an item is removed from the scale.



5. Barcode Scanner

Save time and eliminate errors using a barcode scanner for department/account entry and processing USPS Extra Services.



6. Catch Tray

From postcards to 10" x 13" envelopes, this expandable tray holds a variety of items.

Specifications

Processing speed IN-600 HF	Up to 75 lpm
Processing speed IN-600 AF	Up to 110 lpm
Feeding capability IN-600 HF	Semi-automatic hand feed
Feeding capability IN-600 AF	Automatic feed
Envelope minimum	3.5" x 5"
Envelope maximum	10" x 13"
Envelope thickness	Up to 1/2"
Envelope orientation	Landscape or portrait
Job imprint memories	9
Ad slogans	10
Personalized text messages	10 custom
Incoming date stamp	Standard
Default rate settings	Standard
Postage meter tapes	Yes, integrated automatic label dispenser
4-digit PIN code	50
Accounts/departments	35 standard
Rate wizard	Standard
Rate shortcut keys	6
Automatic postal rates download	Standard
Low-ink email alerts	Standard
Online postage usage reporting	Standard


Options

Differential weighing	Available
External weighing platform	Available 5, 10, 30 or 70 lb.
Accounts/departments upgrade	100 or 300
Barcode scanner	Available
External USB report printer	Available
Connectivity	LAN standard Modem available
USB-memory key	Available
NeoShip	Available
ARM (Account Report Manager)	Available
E-Services with ERR App	Available

System Dimensions

Length x Depth x Height

IN-600 HF	16" x 15" x 12"
IN-600 HF with envelope tray	33" x 15" x 12"
IN-600 AF	32" x 15" x 12"
IN-600 AF with envelope tray	47" x 15" x 12"



We've Got You Covered

Neopost maintains a network of offices across the country to provide local customer support and trained technicians who are ready to assist you. You can be confident that when you need knowledgeable support or expert service, the point-of-contact will be a Neopost office in your area consisting of a team of local professionals.

Why Choose Neopost?

Neopost is a global leader in mailing solutions, shipping services and digital communications. We believe that people are the key to business success. That's why our products and services are tailored to help your organization improve the quality of its interactions and bring people closer together.

In this age of multichannel communications, we guide and empower you to interact in new and innovative ways. We advise you on how to create cost-cutting synergies. We deliver global coverage with a strong local presence, offering you continual support by phone, onsite or online.

Today, Neopost is present in 31 countries and has a network of partners in more than 90 countries. We promote responsible business and sustainable development through our products and outreach programs. Our 6,200 employees worldwide are committed to making your interactions more responsive and more powerful - offering you a competitive edge that will open up a wealth of business opportunities.

Find out more at neopostusa.com